GOLIAD COUNTY ENVIRONMENTAL SERVICES DEPARTMENT

P.O. Box 677 127 N. Courthouse Square Goliad, TX 77963

Phone: (361) 645-3337 Fax: (361) 645-3474

Septic Permitting Process

- Applications are available in the office of the Goliad County Judge or at http://www.co.goliad.tx.us/page/goliad.EnvironmentalDept.
- A licensed site evaluator should perform the mandatory soil identification procedure.
- The appropriate individual should prepare the planning materials. A professional design (R.S. or D.E.) is required for proprietary and non-standard systems.
- Submit the completed application and technical information sheet to the office of the Goliad County Judge (in property owner's name). The documentation should include:
 - Appropriate fee payment
 - Four (4) copies of the application form
 - Two (2) copies each of the following:
 - Planning materials
 - Site and soil evaluation
 - Accurate directions to the site where the system will be installed.

The Environmental Services Department *will not* be able to make copies; please gather the needed copies prior to taking them to the office.

- Plans and application will be reviewed by the County Environmental Services Officer. Non-standard system plans may also be reviewed by the Texas Commission on Environmental Quality staff in Austin.
- After approval by the County Environmental Services Officer, an Authorization to Construct will be issued. This authorization is valid for one year from the date of issuance.
- After construction commences, an inspection of the installation is required before covering. Contact the office of the Goliad County Judge at least three (3) business/working days in advance to arrange for an inspection.
- After a successful inspection, a Notice of Approval will be issued to the owner within approximately five (5) business/working days.
- If a re-inspection is required, there will be an additional fee of \$65 per residential site and \$125 per commercial site.

 Single-family residential site: 	\$175.00
Residential site re-inspection	65.00
Commercial site	250.00
Commercial site re-inspection	125.00

Note: All fees shall be paid by personal check, cashier's check, or money order, and should be made payable to *Goliad County*. No cash or credit card payments will be accepted.

Septic Installers/Certified OSSF Inspectors

•	Victoria Precision Products	361-576-2383
•	American Backhoe Service – Don Tuttle	361-572-3347
•	JS Septic — Jason Stringo	361-572-1672
•	Lone Star Septic Service – Jim Walpole	361-782-2421
•	Lee Backhoe Service, Inc. – Todd Lee	361-572-0814
•	Geigle's Utilities – Wendel Geigle	361-220-0203
•	Custom Contracting and Services – Mike Fikac	361-649-8509
•	C&A Services – Carlton Albrecht	361-571-1246
•	SBV Septic Systems – Justin Cooper	361-275-3213
•	Hurt's Wastewater Management, Ltd.	361-771-3451
•	Cain Septic Design	210-650-2246
•	Janak Plumbing	361-573-2524

Additional installers for this area may be listed on the TCEQ website, at <u>http://www.tceq.texas.gov/licensing/ossf</u>, or in the Yellow Pages.

Goliad, TX 77963

Designer/Site Evaluator

Clayton Mayfield 6567 W. FM 884 Goliad, TX 77963	Phone: 361-938-7413 361-645-4510		
Cain Septic Design 330 Summer Mountain Dr. San Marcos, TX 78666	Phone: 210-650-2246 Fax: 210-222-2246		
Goliad County Inspector			
Steve McKinney	361-645-4912		
If you have questions, contact:			
Office of the Goliad County Judge 127 N. Courthouse Sq. P.O. Box 677	Phone: 361-645-3337 Fax: 361-645-3474		

Fees

County of Goliad



MIKE BENNETT COUNTY JUDGE

P.O. Box 677 Goliad, Texas 77963 <u>mbennett@goliadcountytx.gov</u> (361) 645-3337 Fax (361) 645-3474

PUBLIC NOTICE

In re: Maintenance, Testing, and Routine Service for Aerobic Septic Systems in Goliad County

At a meeting of the Goliad County Commissioners Court, on February 9, 2009, the Court accepted the State of Texas's standards to allow homeowners in Goliad County to maintain their aerobic septic systems after the initial two-year maintenance contract with a licensed sanitarian has expired. The following are guidelines that must be followed in order for a homeowner to maintain an aerobic treatment system:

- Must receive training prior to doing your own maintenance inspections.
- Three inspections should be performed (at least one every four months) over a one-year period and reported on the Aerobic Septic System Inspection Report (attached) that can be obtained in the office of the Goliad County Judge or on the county website, on the Environmental Department tab.
- During inspection, any component found not functioning should be repaired or replaced.
- An effluent quality inspection, consisting of a visual check for color, turbidity, scum overflow, and examination for odors.
- A test for chlorine residual and pH should be taken and reported. Maintaining the chlorine tablets and/or liquid chlorine bleach correctly is the homeowner's responsibility. The chlorine tube must contain chlorine tablets and/or liquid chlorine bleach in a proper operating condition at all times.
- After inspection, reporting forms should be mailed to: Goliad County Environmental Department P.O. Box 677 Goliad, TX 77963

or emailed to pmartin@goliadcountytx.gov

or faxed to 361-645-3474.

Failure to maintain your aerobic septic system properly can result in failure, which can lead to expensive repairs, as well as damage to the environment.

Any questions regarding aerobic septic systems should be addressed to the office of the Goliad County Judge, at 361-645-3337.

AEROBIC SEPTIC SYSTEM INSPECTION REPORT COUNTY OF GOLIAD

Please submit inspection reports every <u>four</u> months to: Goliad County Environmental Department, Post Office Box 677, Goliad, TX 77963, by fax to 361-645-3474, or by e-mail to <u>pmartin@goliadcountytx.gov</u>. Questions should be directed to 361-645-4912.

Date of Inspection:		Permit Number:		
<u>Site Address</u> : Name: Address:		<u>Mailing Address</u> Name: Address:		
Inspected Items:	<u>Acceptable</u>	Unacceptable	<u>Comments</u>	
Aerator				
Effluent				
Turbidity				
Scum Overflow				
Odor Present				
Air Filter				
Effluent Pump				
Sprinkler Operation				

Note: At each inspection air filter must be cleaned and operation of the effluent disposal system must be made, including chlorine residual test, effluent pump operation and sprinkler operation.

Repairs to Systems: _____

Test required and results:		
Test	<u>Required</u>	Results Test Method
BOD (Grab)		
TSS (Grab)		
Fecal Coliform		
Chlorine Residual		
Comments:		
Signature of Inspector:		Date:
Printed Name of Inspector:		